

Sample Received: July 7, 2026

COA Issued: July 24, 2026

PRODUCT INFORMATION

Vendor:
PrimetideSample Name:
Tirzepatide RECONSample Type:
Clear liquidLot Number:
TIRZ072026-RECONMW (g/mol):
91.1, 4813.5

ANALYTICAL METHODS

Identity: Confirmed via LC-MS



Purity: RP-HPLC (214 nm)

Content: HPLC quantitation

TEST RESULTS

Specification	Result	Method	Status
Identity: Tirzepatide RECON	Benzyl Alcohol, Tirzepatide	LC-MS/MS	✓ Confirms
Content		HPLC Quantitation	✓ Confirms
Overall Purity	99.7%	RP-HPLC (214 nm)	✓ Confirms
Endotoxin	<0.05 EU/mL	<USP85>	✓ Confirms
Heavy Metals	<0.01 ppm	<USP232>	✓ Confirms

HPLC Chromatogram (Retention Time: 6.236, 11.897 min)



Certification: This COA confirms that the tested material meets or exceeds Bioviridian's analytical quality specifications for peptide research use.

Visit: <https://bioviridians.com/coa-search.html>*Shane Straight*Shane Straight, M.S.
Principal Chemist, Bioviridian Inc.